

LABEL TEXT

DIAKUR[®] PLUS

Oral mineral supplement

Nutritional supplement for calves and other species
Source of energy and electrolytes

Reg. No. V22615 (Act 36/1947)

Namibian reg. no.: N FF 2946

Guaranteed analysis in g/kg:	
Glucose	570 g/kg
Crude ash	140 g/kg
Crude oils and fats	56 g/kg
Crude protein	32 g/kg
Crude fibre	28 g/kg
Sodium	42 g/kg
Potassium	13 g/kg
Chloride	38 g/kg

100 g / 24 x 100 g / 3 kg

Ingredient statement:		
Composition:	Patented hydrophobic citrus fibre (dried citrus pulp and lecithin)	21.0 %
	Yeast inactivated	2.0 %
	Chloride	3.8 %
	Sodium	4.2 %
	Potassium	1,3 %
Additives:	Lecithin, dried citrus pulp, sodium bicarbonate, sodium chloride, yeast inactivated, potassium chloride, silicon dioxide, sodium acetate, sodium citrate, glycine, xanthan gum, natural and nature identical flavours, Antioxidant: Ethoxyquin 60 ppm	

FOR ANIMAL USE ONLY. Not for human consumption.

Diakur[®] Plus is a unique formula containing a patented hydrophobic citrus fibre.
Diakur[®] Plus may assist in decreasing colonization of coliform bacteria (*E. coli* and *Salmonella* species) via patented, lecithin-coated fibres and mannanoligosaccharides (MOS).

Diakur[®] Plus supports fast absorption of electrolytes and water. Its unique three step buffering system allows it to be fed with milk, milk replacer or water. Diakur[®] Plus may be used during times of stress due to changes in feed or environment. Diakur[®] Plus can be mixed in the normal milk feeding.

It is recommended that a veterinarian's opinion is sought before use and if diarrhoea persists for more than 2 days.

FEEDING RECOMMENDATIONS

Calves

For oral use only. Mix 2 scoops (100 g)/1 sachet of Diakur[®] Plus in 2 litres of warm water, milk or milk replacer. Feed immediately. For larger calves or those requiring more energy, mix 3 scoops (150 g)/1½ sachets Diakur[®] Plus in 3 litres of warm water, milk or milk replacer. Feed every 8 to 10 hours for 24 to 48 hours. Discard any unconsumed mixture each day.

Pigs

Mix 2 scoops (100 g)/1 sachet of Diakur[®] Plus in 2 litres of warm water for a litter of 8 pigs. Feed in 4 feedings per day from a pan. Discard any remaining portion at each feeding. Normal feeding is for 2 days.

Foals

Mix 2 scoops (100 g)/1 sachet of Diakur[®] Plus in 2 litres of warm water. Feed this amount to foal twice daily. The mixture may be fed by bucket or bottle. Amount recommended is for a 50 kg foal. Adjust for larger or smaller animals. Normal feedings are for 2 days.

Storage instructions: Store in a dry place below 30 °C. Keep out of reach of children.

Registration Holder:

Ingelheim Pharmaceuticals (Pty) Ltd
407 Pine Avenue
Randburg
Co. Reg. No. 1966/008618/07
Tel. No. (011) 348 2400



Lot No.:

Expiry date: